
Fetterolf 10/626,502

09/21/2005



RETABLE

Referenced Author (RAU)	Year VOL (RPY) (RVL)	(RPG)	Referenced Work (RWK)	Referenced File
	1 1			+=======
Nippon Shokubai Kagaku	1992		JP 419561 A	
Nof Corporation	1998	ا ا	JP 10114800 A	HCAPLUS
Shionogi & Co Ltd		I	EP 141627 A	HCAPLUS
Shionogi & Co Ltd	1985	ن ا	JP 6091983 A	İ

L82 ANSWER 19 OF 70 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2000:215700 HCAPLUS

DOCUMENT NUMBER:

132:262394

TITLE:

Polymer/enzyme-conjugate and polymer/enzyme/antibody-

conjugate for enzyme immunoassay

INVENTOR(S):

Sakaki, Shujiro; Yamada, Satoru; Shudo, Kenshiro;

Nakabayashi, Nobuo; Ishihara, Kazuhiko

PATENT ASSIGNEE(S):

Nippon Oil and Fats Co., Ltd., Japan Jpn. Kokai Tokkyo Koho, 15 pp.

SOURCE:

CODEN: JKXXAF

DOCUMENT TYPE:

Patent

LANGUAGE:

Japanese

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2000093169	A2	20000404	JP 1998-274782	19980929
PRIORITY APPLN. TNFO			TP: 1998-274782	1.9980.929

ED Entered STN: 04 Apr 2000

AB Polymer/enzyme-conjugate and polymer/enzyme/substance with biol. specific binding ability-conjugate are provided for the use in a highly sensitive enzyme immunoassay. This polymer/enzyme-conjugate is prepared by chemical binding an enzyme for immunol. measurement (e.g., peroxidase) with a polymer synthesized by polymerizing the monomer constituent containing a hydrophilic monomer possessing a phosphorylcholin-analog group (e.g., 2-methacryloyloxyethylphosphorylcholine (MPC)(I)) and a monomer possessing a chemical reative group (e.g., methacrylate, 2-aminoethyl(meth)acrylate). The substance with biol. specific binding ability used for the conjugate is either antibody, biotin, avidin, or antigen. Various samples of polymer/horse radish peroxidase/biotin or IgG-conjugate prepared by this method exhibited an excellent solubility and 1.8-36 times higher sensitivity than the cases where no polymer was used to make conjugates.

IC ICM C12N011-08

ICS G01N033-532; C08F008-00; C08F220-06; C08F220-34; C08F230-02

CC 9-10 (Biochemical Methods)

Section cross-reference(s): 7

IT Immunoassay

(enzyme; polymer/enzyme-conjugate and polymer/enzyme/antibody-conjugate for enzyme immunoassay)

IT 7659-36-1, 2-Aminoethylmethacrylate 7659-38-3, 2-Aminoethylacrylate 18358-13-9, Methacrylate, reactions 67881-98-5, 2-Methacryloyloxyethylphosphorylcholine

RL: RCT (Reactant); RACT (Reactant or reagent)

(polymer/enzyme-conjugate and polymer/enzyme/antibody-conjugate for enzyme immunoassay)

ΙT 67881-98-5, 2-Methacryloyloxyethylphosphorylcholine

RL: RCT (Reactant); RACT (Reactant or reagent)

(polymer/enzyme-conjugate and polymer/enzyme/antibody-conjugate for enzyme immunoassay)

67881-98-5 HCAPLUS RN

3,5,8-Trioxa-4-phosphaundec-10-en-1-aminium, 4-hydroxy-N,N,N,10-CN tetramethyl-9-oxo-, inner salt, 4-oxide (9CI) (CA INDEX NAME)

L82 ANSWER 20 OF 70 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2000:599226 HCAPLUS

DOCUMENT NUMBER:

133:293102

TITLE:

Water-soluble 2-methacryloyloxyethyl phosphorylcholine

copolymer as a novel synthetic blocking reagent in

immunoassay system

AUTHOR (S):

Sakaki, Shujirou; Iwasaki, Yasuhiko; Nakabayashi,

Nobuo; Ishihara, Kazuhiko

CORPORATE SOURCE:

Institute of Biomaterials and Bioengineering, Tokyo Medical and Dental University, Tokyo, 101-0062, Japan

SOURCE:

Polymer Journal (Tokyo) (2000), 32(8), 637-641

CODEN: POLJB8; ISSN: 0032-3896

PUBLISHER:

Society of Polymer Science, Japan

DOCUMENT TYPE:

Journal

English

LANGUAGE:

Entered STN: 29 Aug 2000

The purpose of this study is the development of a novel synthetic blocking reagent for the ELISA method. The water-soluble amphiphilic phospholipid polymer, poly[2-methacryloyloxyethyl phosphorylcholine (MPC)-co-styrene (St)], was synthesized, and the function of the poly(MPC-co-St) as a blocking reagent was compared with conventional blocking reagents which are made of proteins such as bovine serum albumin (BSA) and casein. The poly(MPC-co-St) solution functioned at the same level as BSA solution and casein

solution for preventing non-specific antibody adsorption (p>0.01). When the 1.0% BSA solution and 1.0% casein solution were used as a blocking reagent, the remaining activity of the immobilized antibody decreased about 50% after 20 days. On the other hand, in 0.01% and 0.1% poly(MPC-co-St) solns., the activity remained 76% and 91% of the initial value, resp. The effects of poly(MPC-co-St) on the stabilization of the immobilized antibody depended on its concentration These results indicated that the poly(MPC-co-St) had the ability to inhibit denaturation of protein, i.e., proteins in the ELISA system kept their native structure. We concluded that the water-soluble amphiphilic poly-(MPC-co-St) is an effective synthetic blocking reagent in the ELISA method.

9-10 (Biochemical Methods) CC

IT Immunoassay

(enzyme-linked immunosorbent assay; water-soluble 2-methacryloyloxyethyl phosphorylcholine copolymer as a novel synthetic blocking reagent in immunoassay system)

134483-35-5P

RL: ARU (Analytical role, unclassified); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation)

(water-soluble 2-methacryloyloxyethyl phosphorylcholine copolymer as a novel synthetic blocking reagent in immunoassay system)

100-42-5, reactions 67881-98-5, 2-Methacryloyloxyethyl

phosphorylcholine

RL: RCT (Reactant); RACT (Reactant or reagent)

(water-soluble 2-methacryloyloxyethyl phosphorylcholine copolymer as a novel synthetic blocking reagent in immunoassay system)

IT 134483-35-5P

IT

RL: ARU (Analytical role, unclassified); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation)

(water-soluble 2-methacryloyloxyethyl phosphorylcholine copolymer as a novel synthetic blocking reagent in immunoassay system)

134483-35-5 HCAPLUS RN

3,5,8-Trioxa-4-phosphaundec-10-en-1-aminium, 4-hydroxy-N,N,N,10-CN tetramethyl-9-oxo-, inner salt, 4-oxide, polymer with ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 67881-98-5 CMF C11 H22 N O6 P

CM 2

CRN 100-42-5 CMF C8 H8

 $H_2C = CH - Ph$

67881-98-5, 2-Methacryloyloxyethyl phosphorylcholine IT

RL: RCT (Reactant); RACT (Reactant or reagent)

(water-soluble 2-methacryloyloxyethyl phosphorylcholine copolymer as a novel synthetic blocking reagent in immunoassay system)

RN67881-98-5 HCAPLUS

3,5,8-Trioxa-4-phosphaundec-10-en-1-aminium, 4-hydroxy-N,N,N,10-CN tetramethyl-9-oxo-, inner salt, 4-oxide (9CI) (CA INDEX NAME)

RETABLE



Referenced Author (RAU)	Year (RPY)	VOL (RVL)	PG (RPG)	Referenced Work (RWK)	Referenced File
=======================================	+=====	+=====·	+=====:	+=====================================	
Anderton, B	1980	2	122	Immunol Today	
Donovan, J	1975	250	1966	J Biol Chem	HCAPLUS
Farr, A	1981	47	129	J Immunol Method	HCAPLUS
Imagawa, M	1982	4	41	J Appl Biochem	HCAPLUS
Ishihara, K	1991	25	1397	J Biomed Mater Res	HCAPLUS
Ishihara, K	1998	39	323	J Biomed Mater Res	HCAPLUS
Ishihara, K	1994	32	859	J Polym Sci Part A	HCAPLUS
Ishihara, K	1990	22	355	Polym J	HCAPLUS
Ishihara, K	1999	31	1231	Polym J	HCAPLUS
Ishikawa, E	1983	4	209	J Immunoassay	HCAPLUS
Isikawa, E	1983	18	219	Immunoenzym Tech	
Kojima, M	1991	12	121	Biomaterials	HCAPLUS
Lu, D	1991	3	127	J Biomater Sci Polym	HCAPLUS
Orci, L	1985	28	528	Diabetologia	HCAPLUS
Osborn, M	1978	77	R27	J Cell Biol	MEDLINE
Sakaki, S	1999	47	523	J Biomed Mater Res	HCAPLUS
Shaw, D	1980	İ		Introduction to coll	
Wisdom, G	1976	22	1243	Enzyme-Immunoassay	HCAPLUS

L82 ANSWER 21 OF 70 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

1998:274659 HCAPLUS

DOCUMENT NUMBER:

129:26995

TITLE:

Polymeric solid support-immobilized antigen or

antibody and its use

INVENTOR(S):

Sakaki, Shujiro; Shudo, Kenjiro; Yamada, Akira; Matsuyama, Kazuo; Nakabayashi, Nobuo; Ishihara,

Kazuhiko

PATENT ASSIGNEE(S):

Nippon Oil and Fats Co., Ltd., Japan; Nakabayashi, Norio; Ishihara, Kazuhiko; Foundation for Scientific

SOURCE:

Technology Promotion Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

Patent

LANGUAGE:

Japanese

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 10114800	A2	19980506	JP 1996-271126	19961014
PRIORITY APPLN. INFO.:			JP 1996-271126	19961014

Entered STN: 13 May 1998 ED

The disclosed antigens or antibodies are coupled to polymeric solid support through phosphorylcholine groups and used for immunoassay. The phosphorylcholine-containing polymer is e.g. polymer comprising 2-methacryloyloxyethyl-2'-(trimethylammonio)ethylphosphate (MCP). Copolymers of MCP and Bu methacrylate, methylmethacrylate or 2-hydroxyethyl methylmethacrylate were prepared, coated with anti-mouse antibody for immunoassay.

ICM C07K017-08 IC

ICS G01N033-543; C07K016-00

15-2 (Immunochemistry) CC

Section cross-reference(s): 9

IT Immunoassay

(polymeric solid support-immobilized antigen or antibody and its use)

67881-98-5DP, polymers and copolymers 67882-00-2P IT

125275-25-4P 134483-35-5P 148569-41-9P